ANSI/ASSP A10.22-2007 (R2017)

Safety Requirements for Rope-Guided and Non-Guided Workers Hoists

The American Society of Safety Engineers (ASSE) is now the American Society of Safety Professionals (ASSP). ASSP continues to be the Secretariat for the committee producing this standard and continues to hold the copyright to this standard. There is no change to the content and requirements in the standard. The only change is on the cover indicating the organizational name change of the standards developing organization from ASSE to ASSP.



AMERICAN SOCIETY OF SAFETY PROFESSIONALS



The information and materials contained in this publication have been developed from sources believed to be reliable. However, the American Society of Safety Engineers (ASSE) as secretariat of the ANSI accredited A10 Committee or individual committee members accept no legal responsibility for the correctness or completeness of this material or its application to specific factual situations. By publication of this standard, ASSE or the A10 Committee does not ensure that adherence to these recommendations will protect the safety or health of any persons, or preserve property.

ANSI/ASSE A10.22 – 2007 (R2017)

American National Standard Construction and Demolition Operations

Safety Requirements for Rope-Guided and Non-Guided Workers' Hoists

Secretariat

American Society of Safety Engineers 520 N. Northwest Highway Park Ridge, Illinois 60068

Approved October 5, 2017

American National Standards Institute, Inc.

American National Standard

Approval of an American National Standard requires verification by ANSI that the requirements for due process, consensus, and other criteria for approval have been met by the standards developer. Consensus is established when, in the judgment of the ANSI Board of Standards Review, directly and materially affected interests have reached substantial agreement. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that a concerted effort be made toward their resolution. The use of American National Standards is completely voluntary; their existence does not in any respect preclude anyone, whether he/she has approved the standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standards. The American National Standards Institute does not develop standards and will in no circumstance give an interpretation of any American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute. Requests for interpretation shall be addressed to the secretariat or sponsor whose name appears on the title page of this standard.

Caution Notice: This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute require that action be taken periodically to reaffirm, revise, or withdraw this standard. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute.

Published December 2017 by

American Society of Safety Engineers 520 N. Northwest Highway Park Ridge, Illinois 60068 (847) 699-2929 • www.asse.org

Copyright © 2017 by American Society of Safety Engineers All Rights Reserved.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Printed in the United States of America

Foreword (This Foreword is not a part of American National Standard A10.22 – 2007 (R2017).)

This standard is one of a series of safety standards that have been formulated by the Accredited Standards Committee on Safety in Construction and Demolition Operations, A10. It is expected that the standards in the A10 series will find a major application in industry, serving as a guide to contractors, labor, and equipment manufacturers. For the convenience of users, a list of existing and proposed standards in the A10 series for Safety Requirements in Construction and Demolition Operations follows.

- A10.1 Pre-Project & Pre-Task Safety & Health Planning
- A10.2 Safety, Health and Environmental Training (under development)
- A10.3 Powder-Actuated Fastening Systems
- A10.4 Personnel Hoists and Employee Elevators
- A10.5 Material Hoists
- A10.6 Demolition Operations
- A10.7 Transportation, Storage, Handling and Use of Commercial Explosives and Blasting Agents
- A10.8 Scaffolding
- A10.9 Concrete and Masonry Construction
- A10.10 Temporary and Portable Space Heating Devices
- A10.11 Personnel Nets
- A10.12 Excavation
- A10.13 Steel Erection
- A10.15 Dredging
- A10.16 Tunnels, Shafts and Caissons
- A10.17 Safe Operating Practices for Hot Mix Asphalt (HMA) Construction
- A10.18 Temporary Roof and Floor Holes, Wall Openings, Stairways and Other Unprotected Edges
- A10.19 Pile Installation and Extraction Operations
- A10.20 Ceramic Tile, Terrazzo, and Marble Work
- A10.21 Safe Construction and Demolition of Wind Generation/Turbine Facilities (under development)
- A10.22 Rope-Guided and Non-Guided Workers' Hoists
- A10.23 Safety Requirements for the Installation of Drilled Shafts
- A10.24 Roofing Safety Requirements for Low-Sloped Roofs
- A10.25 Sanitation in Construction
- A10.26 Emergency Procedures for Construction Sites
- A10.27 Hot Mix Asphalt Facilities
- A10.28 Work Platforms Suspended from Cranes or Derricks
- A10.29 Aerial Platforms in Construction (under development)
- A10.31 Digger-Derricks
- A10.32 Personal Fall Protection Used in Construction and Demolition Operations
- A10.33 Safety and Health Program Requirements for Multi-Employer Projects
- A10.34 Public Protection
- A10.37 Debris Nets
- A10.38 Basic Elements of a Program to Provide a Safe and Healthful Work Environment
- A10.39 Construction Safety and Health Audit Program
- A10.40 Reduction of Musculoskeletal Problems in Construction
- A10.42 Rigging Qualifications and Responsibilities in the Construction Industry
- A10.43 Confined Spaces in Construction and Demolition Operations
- A10.44 Lockout/Tagout in Construction
- A10.46 Hearing Loss Prevention
- A10.47 Highway Construction Safety
- A10.48 Communication Structures
- A10.49 Control of Health Hazards

One purpose of these standards is to serve as guides to governmental authorities having jurisdiction over subjects within the scope of the A10 Committee standards. If these standards are adopted for governmental use, the reference of other national codes or standards in individual volumes may be changed to refer to the corresponding regulations.

Revisions: The A10 Committee welcomes proposals for revisions to this standard. Revisions are made to the standard periodically (usually five years from the date of the standard) to incorporate changes that appear necessary or desirable, as demonstrated by experience gained from the application of the standard. Proposals should be as specific as possible, citing the relevant section number(s), the proposed wording and the reason for the proposal. Pertinent documentation would enable the A10 Committee to process the changes in a more-timely manner.

Interpretations: Upon a request in writing to the Secretariat, the A10 Committee will render an interpretation of any requirement of the standard. The request for interpretation should be clear, citing the relevant section number(s) and phrased as a request for a clarification of a specific requirement. Oral interpretations are not provided.

No one but the A10 Committee (through the A10 Secretariat) is authorized to provide any interpretation of this standard.

Approval: Neither the A10 Committee nor American National Standards Institute (ANSI) approves, certifies, rates or endorses any item, construction, proprietary device or activity.

Appendices: Appendices are included in most standards to provide the user with additional information related to the subject of the standard. Appendices are not part of the approved standard.

Checklists: Checklists included in A10 standards may be copied and used in noncommercial settings only.

Committee Meetings: The A10 Committee meets twice per year. Persons wishing to attend a meeting should contact the Secretariat for information.

Standard Approval: This standard was processed and approved for submittal to ANSI by the American National Standards Committee on Safety in Construction and Demolition Operations, A10. Approval of the standard does not necessarily imply (nor is it required) that all Committee members voted for its approval. At the time ANSI approved this standard, the A10 Committee had the following members:

Richard King, CSP, Chair Steven Rank, Vice Chair Timothy R. Fisher, CSP, CHMM, ARM, CPEA, Secretary Lauren Bauerschmidt, MS Engr, CSP, Assistant Secretary Jennie Dalesandro, Administrative Technical Support

Organization Represented

ЗM

A-Z Safety Resources, Inc. Accident Prevention Corporation

AGC of America

American Insurance Services Group

American Society of Civil Engineers

American Society of Safety Engineers

American Wind Energy Association

American Work Platform Training, Inc. APT Research, Inc. Associated Builders and Contractors, Inc.

Barton Malow Company

Black & Veatch

Building & Construction Trades Department

Century Elevators

Clark Construction Group Cole-Preferred Safety Consulting, Inc. Construction & Realty Safety Group, Inc.

CPWR - Center for Construction Research & Training

Edison Electric Institute

Elevator Industry Work Preservation Fund

Ellis Fall Safety Solutions, LLC

Engineering Systems, Inc.

Fluor Corporation

Gilbane Building Co.

Richard D. Hislop

Name of Representative

Raymond A. Mann Mike Boraas Jane F. Williams, CPEA, CCA Frank Burg, CSP, P.E. Terry Krug, CSP, CIH Michael McCaffrey Kevin Cannon Thad Nosal James G. Borchardt, CSP, CPE, CPSM, CRIS John O'Connor, P.E. Harlan Fair, P.E. Ken Shorter, CSP, ARM, TCDS A. David Brayton, CSP, CPC **Christopher Daniels** Michele Myers Mihelic Dennis W. Eckstine Saralyn Dwyer Stephen Wiltshire, MSc Greg Sizemore Jeffrey Oliver, CSP, CHST Mark Haggenmaker Richard F. King, CSP John H. Johnson, CSP Chris Cain, CIH Gary Gustafson Paula Manning Eric Schmidt, P.E. Kurt Dunmire, CSP, CHST Barry Cole Ron Lattanzio Frank Marino Bruce Lippy, Ph.D., CIH, CSP Babak Memarian Jonathan Kerns Adam Frederick Michael D. Morand James Demmel J. Nigel Ellis, Ph.D., P.E., CSP, CPE John T. Whitty, P.E. David Ahearn, P.E. Edward J. Tuczak. P.E. Michael Weatherred, CSP Jim Bates, CSP Robert Hinderliter, ASP Thomas Trauger Richard Hislop Shawn Bradfield

Independent Electrical Contractors, Inc.

Innovative Safety, LLC

Institute of Makers of Explosives

International Association of Bridge, Structural, Ornamental and Reinforcing Iron Workers International Association of Heat & Frost Insulators & Allied Workers International Brotherhood of Boilermakers

International Brotherhood of Electrical Workers

International Brotherhood of Teamsters

International Safety Equipment Association International Union of Bricklayers & Allied Craftworkers

International Union of Operating Engineers

Kiewit Power Constructors Co.

Laborers' International Union of North America

Lamar Advertising

Lendlease Corporation

Liberty Mutual

Marsh LLC Maryland Occupational Safety & Health

Mechanical Contractors Association of America

Miller & Long Concrete Construction

National Association of Home Builders

National Association of Railroad Safety Consultants & Investigators National Electrical Contractors Association

National Institute for Occupational Safety & Health

National Railroad Construction & Maintenance Association National Roofing Contractors Association

National Society of Professional Engineers

NESTI, Inc.

Operative Plasterers and Cement Masons International Association Paul Dolenc Jerry Rivera Daniel M. Paine Barbara Paine Susan JP Flanagan Ronald Thomas

Steven Rank

Tim Keane Mark Garrett Bridget Connors David Mullen Dan Gardner LaMont Byrd, CIH Asher Tobin Cristine Fargo Michael Kassman, CHST Gerard Scarano Christopher Treml Barbara McCabe Rusty Brown, CSP Dave Hinz Walter A. Jones, MS, CIH Travis Parsons Chuck Wigger, CSP **Beth Phelps** Joel Pickering, CET, CHMM Michael Lentz Daniel P. Lavoie, CSP, ARM Stan Williams, ARM, CHST Timothy Bergeron, CSP Mischelle Vanreusel Michael Daughaday Peter Chaney, MS, CSP Dennis Langley Frank Trujillo Alex Rodas, CHST Robert Matuda Chelsea Vetick

Lewis Barbe, P.E., CSP, CRSP Michael J. Johnston Wesley Wheeler Thomas G. Bobick, Ph.D., P.E., CSP, CPE G. Scott Earnest, Ph.D., P.E, CSP

Jeffrey D. Meddin, CSP, CHEP, CHCM Harry Dietz Tom Shanahan E. Ross Curtis, P.E., DFE, F.ASCE, F.NSPE Paul Swanson, P.E. Michael Hayslip, P.E., CSP Jack Madeley, P.E., CSP

Deven Johnson

PATMI

Phoenix Fabricators and Erectors, Inc.

Power Consultants, Incorporated Professional Safety Consultants, Inc.

Safety Environmental Engineering, Inc. Scaffold & Access Industry Association

Shafer Safety Solutions, LLC Sheet Metal & Air Conditioning Contractors' National Association SMART Union

SPA Incorporated Stock Enterprises The Association of Union Constructors

Turner Construction Company

U.S. Army Corps of Engineers

U.S. Department of Energy

United Association

United Brotherhood of Carpenters and Joiners of America United Union of Roofers, Waterproofers & Allied Workers West Virginia University Extension Service

ZBD Constructors, Inc.

Independent Experts & Observers:

Alliance of Hazardous Materials Professionals J.A. Montgomery Risk Control

Lockton Companies National Association of Tower Erectors

U.S. Department of Labor - OSHA

Warfel Construction Company

Subgroup A10.22 had the following members:

Greg Thompson, CSP (Chair) Jeffrey Meddin, CSP, CHCM (Vice-Chair) J. Nigel Ellis, Ph.D., P.E., CSP, CPE (Liaison) James A. Borchers Craig Pratt Luke Humphrey Frank Massey David Goldsmith Jim E. Lapping, MS, P.E., CSP Kathryn Stieler Matthew Murphy Ted Beville DeAnna Martin Carmen Shafer, CSP, CHST

Mike McCullion, CSP, ARM Randall Krocka Charles Austin, MS Stanley Pulz, CSP, P.E. Steve Stock, P.E., PLS Wayne Creasap, II Kathleen Dobson, CSP, CHST, STS.C Cindy L. DePrater, ALCM Abdon Friend, CSP Muhamed El-Zoghbi Bonnie Rathbun, CIH, CET Terry Meisinger Maurice Havgood Cheryl Ambrose, CHST, OHST Rich Benkowski William Irwin Dale Shoemaker

Keith J. Vitkovich Brandon Takacs, CSHM Mark Fullen, Ed.D., CSP Greg Thompson, CSP Jeffrey D. Meddin, CSP, CHEP, CHCM

Carl Heinlein, CSP, ARM, CRIS Eric Voight Ken Bogdan Jason Scollin, CSP, ASP, MS, STC-C John P. Jones Kathryn Stieler Dean McKenzie Scott Ketcham Jeffrey I. Pierce Kevin Stoltzfus

Lawrence Clark Anthony Madera

Contents	SECTION			
	1.	General 1.1 Scope 1.2 Purpose 1.3 Exceptions 1.4 Design Qualifications		
		1.5 Training	12	
	2.	 Referenced and Related Standards and Publications		
	3.	Definitions	13	
	4.	 Hoist Machine 4.1 Application 4.2 Power Up/Power Down 4.3 Source of Power 4.4 Deadman Control Switch 4.5 Line Speed Indicator 4.6 Braking System 4.7 Limit Switches 4.8 Location and Arrangement 4.9 Diameter of Drum 4.10 Minimum Rope Turns on Drum 4.11 Stability 4.12 Electrical System Protection 4.13 Grounding 4.14 Overspeed 	14 15 15 15 15 15 15 15 15 15 15 15 15 15	
	5.	Operation of Hoist5.1Operator5.2Speed Limitation5.3Communication5.4Operation5.5Overhead Protection5.6Exhaust Pipe and Muffler5.7Noise		

6		Rope	
	6.1	Rope Specification	
	6.2	Rope Design Factor	. 16
	6.3	Rope Attachment	
	6.4	Rotation-Resistant Ropes and Swivels	. 17
	6.5	Avoiding Line Run	. 17
	6.6	Rope Protection	
	6.7	Splicing of Hoisting Rope	
	6.8	Removal Criteria	
	6.9	Used Hoisting Rope	
	6.10	Records	. 18
7	Foot	blocks	18
	7.1	Type of Blocks	18
	7.2	Footblock Diameter	18
	7.3	Direction Change	
	7.4	Footblock Anchorage	
	7.5	Footblock Substitute	
	7.0		0
8	. Cath	ead and Sheaves	.18
	8.1	Sheave Supports	.18
	8.2	Sheave Diameter	
	8.3	Design Basis	
	8.4	Clearance	
9		e Ropes	
	9.1	Number and Loading	
	9.2	Alignment Tension	
	9.3	Application of Tension	
	9.4	Guide Rope Specifications	
	9.5	Rope Design Factor	. 19
1)	10
		Rated Loading	
		Frame	
	-	Construction	-
		Mesh Covering	
		Floor	
		Overhead Protection	
		Gate	
		Safety Clamps (Cage)	
		Platform Guides	
	10.9		. 20

11. Emergency Escape Provisions	20
12. Non-Guided Hoist	
12.1 Hoisting	20
12.2 Speed Limitation	21
12.3 Working Platform	21
12.4 Lifeline	21
12.5 Rope Grabs (Lifeline)	21
12.6 Size of Hoist Rope	21
12.7 Prevention of Line Run	21
12.8 Protection of Rope End	21
12.9 Wire Rope Removal Criteria	21
13. Inspection and Tests	21
13.1 Initial Inspection and Test	21
13.2 Daily Checks and Weekly Inspections	
13.3 Quarterly Inspections	
13.4 Repairs and Replacements	22
13.5 Records	

Appendix:

Survey of Job	Site	23
	•	

AMERICAN NATIONAL STANDARD A10.22 SAFETY REQUIREMENTS FOR ROPE-GUIDED AND NON-GUIDED WORKERS' HOISTS

1. GENERAL

1.1 Scope. This standard establishes minimum safety requirements for temporary personnel hoisting systems used for the transportation of persons to and from working elevations during normal construction and demolition operations, including maintenance, and is restricted to use in special situations, such as:

- 1) Work in chimneys, chimney linings, silos, towers, stacks, shafts and similar projects.
- When necessary, to hoist or lower a person in a boatswain's chair or equivalent and the height is too great for practical use of a block and falls (see Section 12).
- 3) For transportation of materials, but not concurrently with hoisting of personnel.

The requirements of this standard are in addition to, or in lieu of, applicable provisions specified by ANSI/ASSE A10.5, *Safety Requirements for Material Hoists*.

1.2 Purpose. This standard is intended to provide safety for those requiring the use of rope-guided and non-guided worker's hoists in special situations as set forth in 1.1.

1.3 Exceptions. In cases of practical difficulties, unnecessary hardships or new development, exceptions to the literal requirements shall be permitted by the enforcing authority to allow the use of other devices or methods, but only when it is clearly established that equivalent protection is thereby obtained.

1.4 Design Qualifications. Ropeguided worker's hoists shall be designed by a qualified engineer competent in this field, and shall be constructed and rated in accordance with such design and the limitations of this standard.

1.5 Training. Prior to using the hoisting system described herein, both supervisory and operation personnel shall be instructed in the provisions of this standard and in the operational characteristics relating to the particular worker's hoisting system in use. Recommendations of the equipment manufacturer and system designer(s) shall be followed. The equipment manufacturer shall provide instructional material for training on their equipment. Records of training shall be maintained.

2. REFERENCED AND RELATED STANDARDS AND PUBLICATIONS

2.1 Referenced American National Standards. This standard is intended to be used with all applicable American National Standards. When these referenced standards are superseded by a revision approved by the American National Standards Institute (ANSI) the most recent revision shall apply:

ANSI/AWS D1.1/D1.1M, Structural Welding Code - Steel

ANSI/NFPA 70, National Electrical Code

2.2 Referenced Publications. This standard is also intended to be used with the following publications:

AISC, Steel Construction Manual

OSHA 29 CFR 1926.52, Occupational Noise Exposure