

ANSI/ASSP A10.44-2020

Control of Energy Sources (Lockout/Tagout)
for Construction and Demolition Operations

PREVIEW ONLY



AMERICAN SOCIETY OF
SAFETY PROFESSIONALS



PREVIEW ONLY

The information and materials contained in this publication have been developed from sources believed to be reliable. However, the American Society of Safety Professionals (ASSP) as secretariat of the ANSI accredited A10 Committee or individual committee members accept no legal responsibility for the correctness or completeness of this material or its application to specific factual situations. By publication of this standard, ASSP or the A10 Committee does not ensure that adherence to these recommendations will protect the safety or health of any persons or preserve property.

ANSI®
ANSI/ASSP A10.44 – 2020

American National Standard
Construction and Demolition Operations
Control of Energy Sources (Lockout/Tagout)
for Construction and Demolition Operations

Secretariat

American Society of Safety Professionals
520 N. Northwest Highway
Park Ridge, IL 60068

Approved February 13, 2020

American National Standards Institute

American National Standard

Approval of an American National Standard requires verification by ANSI that the requirements for due process, consensus, and other criteria for approval have been met by the standards developer. Consensus is established when, in the judgment of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that a concerted effort be made toward their resolution. The use of American National Standards is completely voluntary; their existence does not in any respect preclude anyone, whether he/she has approved the standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standards. The American National Standards Institute does not develop standards and will in no circumstance give an interpretation of any American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute. Requests for interpretation should be addressed to the secretariat or sponsor whose name appears on the title page of this standard.

Caution Notice: This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute require that action be taken periodically to reaffirm, revise, or withdraw this standard. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute.

Published March 2020 by

American Society of Safety Professionals
520 N. Northwest Highway
Park Ridge, IL 60068
(847) 699-2929 • www.assp.org

Copyright ©2020 by American Society of Safety Professionals
All Rights Reserved.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Printed in the United States of America

Foreword (This Foreword is not a part of American National Standard A10.44-2020.)

This standard is one of a series of safety standards that have been formulated by the Accredited Standards Committee on Safety in Construction and Demolition Operations, A10. It is expected that the standards in the A10 series will find a major application in industry, serving as a guide to contractors, labor and equipment manufacturers. For the convenience of users, a list of existing and proposed standards in the A10 series for Safety Requirements in Construction and Demolition Operations follows.

A10.1	Pre-Project & Pre-Task Safety & Health Planning
A10.2	Safety, Health and Environmental Training (under development)
A10.3	Powder-Actuated Fastening Systems
A10.4	Personnel Hoists and Employee Elevators
A10.5	Material Hoists
A10.6	Demolition Operations
A10.7	Use, Storage, Handling and Site Movement of Commercial Explosives and Blasting Agents
A10.8	Scaffolding
A10.9	Concrete and Masonry Construction
A10.10	Temporary and Portable Space Heating Devices
A10.11	Personnel Nets
A10.12	Excavation
A10.13	Steel Erection
A10.15	Dredging
A10.16	Tunnels, Shafts and Caissons
A10.17	Safe Operating Practices for Hot Mix Asphalt (HMA) Construction
A10.18	Temporary Roof and Floor Holes, Wall Openings, Stairways and Other Unprotected Edges
A10.19	Pile Installation and Extraction Operations
A10.20	Ceramic Tile, Terrazzo and Marble Work
A10.21	Safe Construction and Demolition of Wind Generation/Turbine Facilities
A10.22	Rope-Guided and Non-Guided Workers' Hoists
A10.23	Safety Requirements for the Installation of Drilled Shafts
A10.24	Roofing – Safety Requirements for Low-Sloped Roofs
A10.25	Sanitation in Construction
A10.26	Emergency Procedures for Construction Sites
A10.27	Hot Mix Asphalt Facilities
A10.28	Work Platforms Suspended from Cranes or Derricks
A10.29	Aerial Platforms in Construction (under development)
A10.30	Installation of Anchors and Micropiles (under development)
A10.31	Digger-Derricks
A10.32	Personal Fall Protection Used in Construction and Demolition Operations
A10.33	Safety and Health Program Requirements for Multi-Employer Projects
A10.34	Public Protection
A10.35	Pressure Testing of Steel and Copper Piping Systems (under development)
A10.37	Debris Nets
A10.38	Basic Elements of a Program to Provide a Safe and Healthful Work Environment
A10.39	Construction Safety and Health Audit Program
A10.40	Reduction of Musculoskeletal Problems in Construction
A10.42	Rigging Qualifications and Responsibilities in the Construction Industry
A10.43	Confined Spaces in Construction and Demolition Operations
A10.44	Lockout/Tagout in Construction and Demolition Operations
A10.46	Hearing Loss Prevention
A10.47	Highway Construction Safety
A10.48	Communication Structures
A10.49	Control of Health Hazards

One purpose of these standards is to serve as guides to governmental authorities having jurisdiction over

subjects within the scope of the A10 Committee standards. If these standards are adopted for governmental use, the reference of other national codes or standards in individual volumes may be changed to refer to the corresponding regulations.

Normative Requirements: This standard uses the single column format common to many international standards. The normative requirements appear aligned to the left margin. To meet the requirements of this standard, machinery, equipment and process suppliers and users must conform to these normative requirements. These requirements typically use the verb “shall.”

Revisions: The A10 Committee welcomes proposals for revisions to this standard. Revisions are made to the standard periodically (usually five years from the date of the standard) to incorporate changes that appear necessary or desirable, as demonstrated by experience gained from the application of the standard. Proposals should be as specific as possible, citing the relevant section number(s), the proposed wording and the reason for the proposal. Pertinent documentation would enable the A10 Committee to process the changes in a more-timely manner.

Interpretations: Upon a request in writing to the Secretariat, the A10 Committee will render an interpretation of any requirement of the standard. The request for interpretation should be clear, citing the relevant section number(s) and phrased as a request for a clarification of a specific requirement. Oral interpretations are not provided.

No one but the A10 Committee (through the A10 Secretariat) is authorized to provide any interpretation of this standard.

Approval: Neither the A10 Committee nor American National Standards Institute (ANSI) approves, certifies, rates or endorses any item, construction, proprietary device or activity.

Appendices: Appendices are included in most standards to provide the user with additional information related to the subject of the standard. Appendices are not part of the approved standard.

Checklists: Checklists included in A10 standards may be copied and used in non-commercial settings only.

Committee Meetings: The A10 Committee meets twice per year. Persons wishing to attend a meeting should contact the Secretariat for information.

Standard Approval: This standard was processed and approved for submittal to ANSI by the American National Standards Committee on Safety in Construction and Demolition Operations, A10. Approval of the standard does not necessarily imply (nor is it required) that all Committee members voted for its approval. At the time ANSI approved this standard, the A10 Committee had the following members:

John Johnson, CSP, Chair
Steven Rank, Vice Chair
Timothy R. Fisher, CSP, CHMM, ARM, CPEA, CAE, STS, Secretary
Lauren Bauerschmidt, MS Engr, CSP, STS, Assistant Secretary
Jennie Dalesandro, Administrative Technical Support

Organization Represented

Name of Representative(s)

3M	Raymond Mann Heidi Lopez-Hidalgo, P.E.
AGC of America	Michael McCaffrey Kevin Cannon
Alliance of Hazardous Materials Professionals American Insurance Services Group	Carl Heinlein, CSP, ARM, CRIS Thad Nosal James Borchardt, CSP, CPE
American Society of Civil Engineers	John O'Connor, P.E. Harlan Fair, P.E.
American Society of Safety Professionals	Ken Shorter, CSP, ARM, TCDS A. David Brayton, CSP, CPC
American Wind Energy Association	Christopher Daniels Michele Myers Mihelic
APT Research, Inc. Associated Builders & Contractors, Inc.	Saralyn Dwyer Stephen Wiltshire, MSc Greg Sizemore
Barton Malow Company	Mark Haggemaker, CHST, CCHT Ryan Monahan
Black & Veatch	John Johnson, CSP Jason Scollin, CSP, MS, STSC, CRIS
Building & Construction Trades Department	Chris Cain, CIH Gary Gustafson
Century Elevators	Paula Manning Eric Schmidt, P.E.
Clark Construction Group Cole-Preferred Safety Consulting, Inc. Conner Strong & Buckelew	Kurt Dunmire, CSP, CHST Barry Cole Eric Voight, CSP
Construction & Realty Safety Group, Inc.	Ken Bogdan Ron Lattanzio Frank Marino
CPWR - The Center for Construction Research & Training	Bruce Lippy, Ph.D., CIH, CSP Babak Memarian, Ph.D.
Eckstine & Associates, Inc.	Dennis Eckstine Matthew Eckstine
Edison Electric Institute	Jonathan Kerns Carren Spencer

Elevator Industry Work Preservation Fund

Ellis Fall Safety Solutions, LLC

Engineering Systems, Inc.

Fluor Corporation

Gilbane Building Co.

Hislop, Richard D.

Independent Electrical Contractors, Inc.

Innovative Safety, LLC

Institute of Makers of Explosives

International Association of Bridge, Structural, Ornamental
& Reinforcing Iron Workers

International Association of Heat & Frost Insulators &
Allied Workers

International Brotherhood of Boilermakers

International Brotherhood of Electrical Workers

International Brotherhood of Teamsters

International Safety Equipment Association

International Union of Bricklayers & Allied Craftworkers

International Union of Operating Engineers

IUPAT

Kiewit Power Constructors Co.

Laborers' International Union of North America

Lamar Advertising Company

Lendlease Corporation

Liberty Mutual

Michael Morand

James Demmel

J. Nigel Ellis, Ph.D., P.E., CSP, CPE

John Whitty, P.E.

David Ahearn, P.E.

Edward Tuczak, P.E.

Michael Weatherred, CSP

Jim Bates, CSP

Robert Hinderliter, ASP

Thomas Trauger, CSP, ARM, CRIS

Richard Hislop, P.E., CSP, ARM

Shawn Bradfield, CSP

Paul Dolenc

Jerry Rivera

Daniel Paine

Barbara Paine

Joshua Hoffman, Ph.D., P.E.

Susan Flanagan

Steven Rank

Wayne Creasap II

Tim Keane

Mark Garrett

Bridget Connors

David Mullen

Dan Gardner

LaMont Byrd, CIH

Asher Tobin

Cristine Fargo

Daniel Glucksman

David Wysocki

Gerard Scarano

Christopher Tremi

Russell Duke

Kenneth Seal

Rusty Brown, CSP

Cody Williams, ASP

Walter Jones, MS, CIH

Travis Parsons

Chuck Wigger, CSP

Beth Phelps

Joel Pickering, CET, CHMM

Michael Lentz

Stan Williams, ARM, CHST

Kevin Newlan, ASP, CHST

Lockton Companies	Marcus Reiter, CSP, ARM, CRIS
	Drew Youpel, CRIS, STSC
Marsh LLC	Timothy Bergeron, CSP, CRIS
Maryland Occupational Safety & Health	Mischelle Vanreusel
	Michael Daughaday, CHST
Mechanical Contractors Association of America	Peter Chaney, MS, CSP
Miller & Long Concrete Construction	Frank Trujillo
	Alex Rodas, CHST
National Association of Home Builders	Robert Matuga
	Christian Culligan
National Electrical Contractors Association	Michael Johnston
	Wesley Wheeler
National Institute for Occupational Safety & Health	Thomas Bobick, Ph.D., P.E., CSP, CPE
	G. Scott Earnest, Ph.D., P.E., CSP
National Railroad Construction & Maintenance Association	Jeffrey Meddin, CSP, CHEP, CHCM
National Roofing Contractors Association	Harry Dietz
	Thomas Shanahan
National Society of Professional Engineers	E. Ross Curtis, P.E., DFE, F.ASCE, F.NSPE
NESTI, Inc.	Michael Hayslip, P.E., CSP
	Jack Madeley, M.S., P.E., CSP
Operative Plasterers & Cement Masons International Association	Deven Johnson
PATMI	
Phoenix Fabricators & Erectors, Inc.	James Borchers
	Frank Massey
Professional Safety Consultants, Inc.	Dmitry Stott, CHST, GSP
	Jim Lapping, MS, P.E., CSP
Safety Environmental Engineering, Inc.	Kathy Stieler
Scaffold & Access Industry Association	Matthew Murphy
	DeAnna Martin
Sheet Metal & Air Conditioning Contractors National Association	Jackie Brown
SMART Union	Mike McCullion, CSP, ARM
SPA, LLC	Jamie Devan, CHST
Stock Enterprises	Randall Krocka
The Association of Union Constructors	Stanley Pulz, CSP, P.E.
Turner Construction Company	Steve Stock, P.E., PLS
	Kathleen Dobson, CSP, CHST, STS.C
U.S. Army Corps of Engineers	Cindy DePrater, ALCM
U.S. Department of Energy	Abdon Friend, CSP
	Todd "Marty" Werdebaugh, MS, CSP, PMP
United Association of Plumbers and Pipefitters	Craig Schumann
	Maurice Haygood
United Brotherhood of Carpenters & Joiners of America	Cheryl Ambrose, CHST, OHST
	Rita Neiderheiser, CHST, CIT
	William Irwin
	Royce Peters

United Union of Roofers, Waterproofers & Allied Workers

Richard Tessier

Keith Vitkovich

West Virginia University Extension Service

Brandon Takacs, CSP, CSHM

Mark Fullen, Ed.D., CSP

ZBD Constructors, Inc.

Greg Thompson, CSP

Jeffrey Meddin, CSP, CHEP, CHCM

Independent Experts & Observers:

DPR Construction

Paul Butler, CSP, CHST

National Association of Tower Erectors

John Jones

Kathryn Stieler

U.S. Department of Labor - OSHA

Eric Kampert, P.E., CSP, OHST

Scott Ketcham

Warfel Construction Company

Jeffrey Pierce

Kevin Stoltzfus

Subgroup A10.44 had the following members:

Michael Serpe, CSP (Chair)

Timothy Bergeron, CSP, CRIS

Kathleen Dobson, CSP, CHST, STS.C

Michael Hayslip

Robert Matuga

Jerry Rivera

Ronald Stemple, CSP, CHST

Kathryn Stieler

Contents

1. Scope and Purpose.....	11
1.1 Scope.....	11
1.2 Purpose.....	11
2. Definitions	11
3. Lockout/Tagout Policy and Procedure.....	14
3.1 General	14
4. Minimum Requirements for Lockout/Tagout Procedure – Pre-planning.....	17
4.1 Identification of Energy Isolating Devices	17
4.2 Selection and Procurement of Protective Materials and Hardware	17
4.3 Assignment of Duties and Responsibilities	17
4.4 Preparation of De-Energization and Start-Up Sequences.....	18
5. Implementation of Lockout/Tagout Procedure.....	18
5.1 Notification of Personnel.....	18
5.2 Application of Lockout/Tagout	18
5.3 Release from Lockout/Tagout	19
6. Special Lockout/Tagout Considerations	19
6.1 Lockout/Tagout Interruption (Testing of Energized Equipment)	19
6.2 Equipment Design and Performance Limitations	19
6.3 Group Lockout/Tagout.....	19
6.4 Outside Personnel (Contractors, etc.) Lockout/Tagout	20
6.5 Coordination (Shift/Schedule Change)	20
6.6 Authorization for Lockout/Tagout Application and Removal.....	20
7. References/Resources.....	21
APPENDIX A: Equipment-Specific Lockout/Tagout Procedure Documentation Form.....	22

AMERICAN NATIONAL STANDARD A10.44 CONTROL OF ENERGY SOURCES (LOCKOUT/TAGOUT) FOR CONSTRUCTION AND DEMOLITION OPERATIONS

1. Scope and Purpose

1.1 Scope

This standard establishes the minimum requirements for the control of energy sources to prevent release of harmful energy that could cause death, injury or illness to personnel performing construction and demolition work.

This standard does not cover the following:

Installations under the exclusive control of electric utilities for the purpose of power generation, transmission and distribution, including related equipment for communication or metering; exposure to electrical hazards from work on, near or with conductors or equipment in electric utilization installations.

1.2 Purpose

The purpose of this standard is to establish procedures for the protection of property and personnel from injury due to the:

- unexpected energization;
- start-up;
- inadequate insulation;
- inadequate isolation; or
- release of active or stored energy

of machines, equipment, vehicles, tools, etc. in, on or around machines, tools or equipment during repair, maintenance, servicing, installation, testing and associated construction and demolition activities.

The purpose is to ensure that before any worker services, maintains, works on or near equipment where the potential exists for exposure to un-isolated energy or unexpected energization, start-up of equipment or the release of stored energy, that the machine, equipment, vehicles or tools, etc. is isolated from the energy source and rendered inoperative.

2. Definitions

Affected Employee. An affected employee is one whose job requires them to operate or use a machine or equipment on which servicing or maintenance is being performed under lockout or tagout, or whose job requires them to work in an area in which such servicing or maintenance is being performed.

Authorized Employee. A qualified person authorized by their employer to lockout and/or tagout (LOTO) machines or equipment in order to perform servicing or maintenance on a machine or piece of equipment, which has a source(s) of energy that can cause injury to the worker. Furthermore, any worker who implements a lockout and/or tagout system procedural element on machines or equipment (for servicing or maintenance purposes) is considered an authorized employee. This includes employees who:

1. perform energy isolation;
2. implement lockout and/or tagout on machines or equipment;
3. dissipate potential (stored) energy;
4. verify energy isolation;