# ANSI/ASSP Z359.14-2021

Safety Requirements for Self-Retracting Devices for Personal Fall Arrest and Rescue Systems

Part of the Fall Protection Code



AMERICAN SOCIETY OF SAFETY PROFESSIONALS



The information and materials contained in this publication have been developed from sources believed to be reliable. However, the American Society of Safety Professionals (ASSP) as secretariat of the ANSI Z359 committee or individual committee members accept no legal responsibility for the correctness or completeness of this material or its application to specific factual situations. By publication of this standard, ASSP or the Z359 committee does not ensure that adherence to these recommendations will protect the safety or health of any persons or preserve property.

**American National Standard** 

# Safety Requirements for Self-Retracting Devices for Personal Fall Arrest and Rescue Systems

Secretariat

American Society of Safety Professionals 520 N. Northwest Highway Park Ridge, Illinois 60068

Approved June 17, 2021

Effective August 1, 2023

**American National Standards Institute** 

# American National Standard

Approval of an American National Standard requires verification by ANSI that the requirements for due process, consensus and other criteria for approval have been met by the standards developer. Consensus is established when, in the judgment of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that a concerted effort be made toward their resolution. The use of American National Standards is completely voluntary; their existence does not in any respect preclude anyone, whether he/she has approved the standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standards. The American National Standards Institute does not develop standards and will in no circumstance give an interpretation of any American National Standard, Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute. Requests for interpretation should be addressed to the secretariat or sponsor whose name appears on the title page of this standard.

Caution Notice: This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute require that action be taken periodically to reaffirm, revise or withdraw this standard. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute.

Published July 2021 by

#### American Society of Safety Professionals 520 N. Northwest Highway Park Ridge, Illinois 60068 (847) 699-2929 • www.assp.org

Copyright ©2021 by American Society of Safety Professionals All Rights Reserved.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Printed in the United States of America

### Foreword

(This Foreword is not a part of American National Standard Z359.14-2021.)

**History:** ANSI/ASSP Z359.14 was first published in 2012 and included historical requirements previously established in ANSI/ASSP Z359.1-1992 (R1999) and ANSI/ASSP Z359.1-2007. Additional requirements were developed for devices of different types; specifically, self-retracting devices with integral rescue capability (SRL-R) and self-retracting devices with leading edge capability (SRL-LE).

The requirements for SRL-Rs were largely extracted from ANSI/ASSP Z359.4-2007, while the requirements for SRL-LEs were new developments, inspired by existing data and procedures developed by international organizations exploring this issue. Since the publication of the ANSI/ASSP Z359.14-2012 standard, personal self-retracting devices have proliferated considerably, as have SRL-LEs. Additionally, these two classifications have merged, and personal SRL-LEs have become a very highly influential component of commonly utilized personal fall arrest systems. As a result, it has become clear that a more focused set of requirements have become necessary to ensure higher factors of safety are achieved in this highly influential class of product.

These products and the practice of foot-level tie-off is controversial due to the increased risk of injury to the users of such equipment as a result of likely contact with the structure or structural edge as well as the considerable increase in fall clearance required.

In an effort to focus users of these devices on the most effective practices relative to fall arrest, this committee has redefined the types and classes and has established more stringent requirements for all self-retracting devices with the objective of increasing overall factors of safety.

**Normative Requirements:** This standard uses the single column format. The normative requirements appear aligned to the left margin. To meet the requirements of this standard, machinery, equipment and process suppliers and users must conform to these normative requirements. These requirements typically use the verb "shall."

NOTE: The informative or explanatory notes in this standard appear indented, in italics, in a reduced font size, which is an effort to provide a visual signal to the reader that this is an informative note, not normative text, and is not to be considered part of the requirements of this standard; this text is advisory in nature only. The suppliers and users are not required to conform to the informative note. The informative note is presented in this manner in an attempt to enhance readability and to provide explanation or guidance to the sections they follow.

**Revisions:** The Z359 Committee welcomes proposals for revisions to this standard. Revisions are made to the standard periodically (usually every five years from the date of the standard) to incorporate changes that appear necessary or desirable, as demonstrated by experience gained from the application of the standard. Proposals should be as specific as possible, citing the relevant section number(s), the proposed wording, and the reason for the proposal. Pertinent documentation would enable the Z359 Committee to process the changes in a timely manner.

**Interpretations:** Upon a request in writing to the Secretariat, the Z359 Committee will render an interpretation of any requirement of the standard. The request for interpretation should be clear, citing the relevant section number(s) and phrased as a request for a clarification of a specific requirement. Oral interpretations are not provided.

Only the Z359 Committee (through the ASSP Z359 Secretariat) is authorized to provide any interpretation of this standard.

**Approval:** Neither the Z359 Committee nor the American National Standards Institute (ANSI) approves, certifies, rates or endorses any item, construction, proprietary device or activity.

**Figures:** Figures provided in the standard are used to show basic concepts of testing, types of products, examples of labels or other information from the standard. These figures are not to scale. They are for educational and informational purposes to explain content within a standard.

**Suggestions for Improvements:** The Z359 Committee solicits public input that may suggest revisions to the standard. Such input should be sent to the Secretariat, American Society of Safety Professionals, 520 N. Northwest Highway, Park Ridge, Illinois 60068.

**Appendices:** Appendices are included in most standards to provide the user with additional information related to the subject of the standard. Appendices are not part of the approved standard.

**Committee Meetings:** The Z359 Committee meets on a regular basis. Persons wishing to attend a meeting should contact the Secretariat for information.

**Standard Approval:** This standard was developed and approved for submittal to ANSI by the Z359 Secretariat. Committee approval of the standard does not necessarily imply (nor is it required) that all members voted for its approval. At the time this standard was approved, the Z359 Committee had the following members:

Thomas Kramer, P.E., CSP, Chair Dan Henn, Vice Chair Lauren Bauerschmidt, MS Engr, CSP, STS, Secretary Jennie Dalesandro, Administrative Technical Support

#### **Organization Represented**

3M

**AES** Indiana

American Contractors Insurance Group American Society of Safety Professionals

Bashlin Industries, Inc.

Battelle Energy Alliance, LLC Bayer AG

Boeing

**Buckingham Manufacturing Company** 

Cajun Industries, LLC CB&I Storage Solutions

Certified Access Elevated Insight & Engineering Ltd. Elk River, Inc.

Ellis Fall Safety Solutions, LLC

ExxonMobil

FallTech

Formetco

General Motors Company

GME Supply Company

Gorbel Inc.

Gravitec Systems, Inc.

#### Name of Representative(s)

Raymond Mann Heidi Lopez-Hidalgo, P.E. Nick Hutchinson Michael Wright Michael Overholt, CSP, ARM, CET, CRIS Jubal Hamernik, Ph.D., P.E., DPE John Stephen Frost, CSP Caleb Williams **Bradley McGill** Lawrence McManamon Adam Chapin Chad McDanel Joey Junio, P.E. Segis Wright, CSP, SMS **DeForest Canfield** Justin Drake Troy Lake Jeff Eggert, P.E. David Freeman Dave Pasco Greg Small, P.Eng., M.Eng. Mark Conover Delisa Calhoun J. Nigel Ellis, Ph.D., P.E., CSP, CPE John Whitty, P.E. Freddie Johnson Zachary Shanklin Zachary Winters **Bradley Rohlf** James Poage Chris Adams Graham Parr Ken Mahnick **Daniel Pobst** Chris Heitkamp Allen Baughman Kevin Duhamel David Lough

Guardian Fall

Harken, Inc.

Honeywell

**INSPEC** International Ltd.

International Safety Equipment Association

Jelco Kee Safety, Inc.

Kiewit Power Constructors Co.

KMI Construction Lawrence Berkeley National Laboratory

Lawrence Livermore National Security, LLC

Liberty Mutual

LJB Inc.

Malta Dynamics, LLC

Martin/Martin Consulting Engineers

MSA

Murdock Webbing Company, Inc.

National Association of Tower Erectors

National Institute for Occupational Safety & Health Pensafe Inc. Petzl

**Pigeon Mountain Industries** 

**Reliance Industries** 

Rigid Lifelines Rooftop Anchor, Inc. Warren Faber Andre Pelland Heather Robertson Matt Luedtke Giovany Gil Jesus Velasco Garcia Paul Clarke, CEng, MIMechE Steven Sum Cristine Fargo, CAE Justin Patton Philip Clemmons William Parsons, P.Eng. Graham Willmott Rusty Brown, CSP Andrew Cowart Jim Kinateder Kevin Goodwin, MS, CSP, SMS Samuel Harreschou, CIH, CSP, PMP, CHMM Samuel Pogers, CSP Scott Cooper, CSP, CHST Glenn "Cal" Sparks Matthew Zaffini Thomas Kramer, P.E., CSP Rupert Noton, CEng, MIStructE David Ivey Jenna Pitcher Andrew Emmons, P.E. Al Jording, P.E. Rob Willis Tim Bissett Peter Cook Stephan Gelinas John "JP" Jones Justin Miller Hongwei Hsiao, Ph.D. Keith Smith Jeremiah Wangsgard Keith Luscinski Jeff Bowles Loui McCurley Dan Henn W. Joe Shaw Arnie Galpin, P.E. Kynan Wynne Joshua Adam, P.E.

Schreiber Foods

Shell Oil Company

SKYLOTEC North America LP

SPRAT

STE

Sturges Manufacturing, Inc. SureWerx/PeakWorks

Surface Solutions

TEiC Construction Services, Inc.

Terracon

Travelers Tritech Fall Protection Systems, Inc

U.S. Air Force

U.S. Army Corps of Engineers

U.S. Bureau of Reclamation

U.S. Department of Energy

U.S. Department of Interior - BSEE

U.S. Department of Labor - OSHA

U.S. Navy

UAW UL

Vertical Access LLC Wagman, Inc.

Walt Disney Parks & Resorts Werner Co.

Mark Winchester George Jerome Eileen Hoff, Ph.D., CHFP Kevin Lord Douglas Mercier Ross Balquist Charley Rankin, M.S. Cedric Smith Michael Wright, P.E., CPE, CSP Mark Williams Tyler Griffith Tim Accursi Juan Rangel Samuel Terry Art Schneider Shayne Powers Nick Szkotak Matt McElvogue, P.E., RWC, RRO Adam Maier Scott Richert, CSP, ARM, ALCM Craig Siciliani, P.E. Meridith Conser, P.E. Robert Baker **Robert Foster** David Kloewer, P.E. William Eggleston Allison Cryns Corey Dickson Scott Wenholz, CIH, CSP Thomas Rizzi, D.C, CSP John Cushing, Jr. David Nedorostek William Zettler Mark Hagemann Charles Gum, CSP, ASP Shawn Smith, MA, MEng, CSP, SMS Matthew Uptmor, OHST **Beverly Stutts** Andrew White Kelly Streeter, P.E. Cory Gaye, CSP Chris Daniels, P.E. Ian Bevan Michael Cameron Cody Rappoport

Western Area Power Administration WJE

Zachry Group

#### **Observing/Non-Voting Members:**

Flexible Lifeline Systems

High Engineering Corporation Lighthouse Safety, LLC Edward Crowson Daniel Gach Kurt Holloway, P.E., SE Adam Rubin, MS, CSP

Michael Bailey, P.E. John Seto, P.E. Brendon Kerber, M.Eng., P.Eng. John Corriveau Kaylie Lenz

#### Subgroup Z359.14 had the following members:

Dan Henn, Chair Adam Rubin, MS, CSP, Vice-Chair Andrew Bush Richard Creighton J. Nigel Ellis, Ph.D., P.E., CSP, CPE Warren Faber Craig Galecka, P.E., CSP Tyler Griffith Nick Hutchinson George Jerome Denis Logie, CSP, CHST, OHST, ASHM, CSMP Heidi Lopez-Hidalgo, P.E. Raymond Mann Lawrence McManamon Rupert Noton, CEng, MIStructE Michael Overholt, CSP, ARM, CET, CRIS Shayne Powers Cody Rappoport Thomas Rizzi, D.C., CSP Bradley Rohlf W. Joe Shaw Greg Small, P.Eng., M.Eng. Shawn Smith, MA, MEng., CSP, SMS Glenn "Cal" Sparks **Ted Stephens** Scott Wenholz, CIH, CSP John Whitty, P.E. Rob Willis Mark Winchester Zachary Winters Segis Wright, CSP, SMS

# Contents

1. Scope, Purpose and Application	11
1.1 Scope	11
1.2 Purpose and Application	11
1.3 Self-Retracting Device Types	11
1.4 Self-Retracting Device Classes	11
1.5 Exceptions	12
1.6 Interpretations	12
2. Definitions	12
3. Requirements	13
3.1 General Requirements	
3.2 Static Strength	15
3.3 Dynamic Performance	15
3.4 Energy Capacity	16
3.5 Retraction Tension	
3.6 Additional Testing for Self-Retracting Lanyards, Personal (SRL-Ps).	17
3.7 Hybrid Self-Retracting Devices	17
4. Qualification and Verification Testing	18
4.1 Test Equipment and Test Specimens	18
4.2 Static Testing	25
4.3 Dynamic Performance Testing	27
4.4 Energy Capacity Testing	33
4.5 Retraction Tension Testing	34
4.6 Type Specific Testing for Self-Retracting Lanyards, Personal (SRL-Ps)	35
4.7 Testing Summary Table	
5. Markings and Instructions	37
5.1 Marking Requirements	37
5.2 Instruction Requirements	40
6. User Inspection, Maintenance and Storage of Equipment	42
6.1 Inspection	42
6.2 Maintenance and Storage	43
7. References	43
Appendix A – Inspection Requirements (Informative)	45
Appendix B – Guidance for the End-User (Informative)	46

## AMERICAN NATIONAL STANDARD Z359.14 SAFTEY REQUIREMENTS FOR SELF-RETRACTING DEVICES FOR PERSONAL FALL ARREST AND RESCUE SYSTEMS

# 1. Scope, Purpose and Application

# 1.1 Scope

This standard establishes requirements for the performance, design, qualification testing, markings and instructions, inspections, maintenance and storage, and removal from service of self-retracting devices (SRDs) including self-retracting lanyards (SRLs), self-retracting lanyards with integral rescue capability (SRL-Rs), and self-retracting lanyards, personal (SRL-Ps). This standard establishes requirements for SRDs intended for use in personal fall arrest or rescue systems for authorized persons within the capacity range of 130 to 310 pounds (59 to 141kg).

## 1.2 Purpose and Application

**1.2.1** The purpose of this standard is to establish minimum requirements for self-retracting devices that are used in occupations requiring personal protection against falls from heights and applies to the manufacturers, distributors, purchasers and authorized persons who use such equipment.

**1.2.2** Before any equipment shall bear the marking Z359.14 or be represented in any way as being in compliance with this standard, all applicable requirements of this standard shall be met. Such compliance shall be established in accordance with the requirements specified in ANSI/ASSP Z359.7.

# 1.3 Self-Retracting Device Types

1.3.1 Self-retracting lanyard (SRL). Defined in Section 2. See Figure 1.

1.3.2 Self-retracting lanyard, personal (SRL-P). Defined in Section 2. See Figure 1.

**1.3.3** Self-retracting lanyard with integral rescue capability (SRL-R). Defined in Section 2. See Figure 1.

# 1.4 Self-Retracting Device Classes

**1.4.1 Class 1.** Self-retracting devices which shall be used only on overhead anchorages and shall be subjected to a maximum free fall of 2 feet (610mm) or less, in practical application.

**1.4.2 Class 2.** Self-retracting devices which are intended for applications wherein overhead anchorages may not be available or feasible and which may, in practical application, be subjected to a free fall of no more than 6 feet (1.8m) over an edge prescribed in Section 4.

**1.4.3** Any of the device types in 1.3 may be qualified according to the requirements of these classes. Before a device may be qualified according to the requirements of Class 2, it shall first meet the requirements of Class 1.