# **ANSI B11.15-2022**

### **American National Standard**

# Safety Requirements for Bar, Pipe, Tube, and Shape Bending Machines



B11 Standards, Inc. POB 690905 Houston, TX 77269, USA

APPROVED: 7 January 2022

by the American National Standards Institute Board of Standards Review



### COPYRIGHT PROTECTED DOCUMENT

Copyright © 2022 by B11 Standards, Inc.
All rights reserved. Printed in the United States of America
No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of B11 Standards, Inc

### **AMERICAN NATIONAL STANDARDS**

By approving this American National Standard, the ANSI Board of Standards Review confirms that the requirements for due process, consensus, balance and openness have been met by B11 Standards, Inc., (the ANSI-accredited standards developing organization). American National Standards are developed through a consensus process. Consensus is established when substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that a concerted effort be made toward resolution. This process brings together volunteers and/or seeks out the views of persons who have an interest in the topic covered by this publication. While B11 Standards, Inc., administers the process and establishes procedures to promote fairness in the development of consensus, it does not write the document and it does not independently test, evaluate or verify the accuracy or completeness of any information or the soundness of any judgments contained in its standards or guidelines.

American National Standards are promulgated through ANSI for voluntary use; their existence does not in any respect preclude anyone, whether they have approved the standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standards. However, users, distributors, regulatory bodies, certification agencies and others concerned may apply American National Standards as mandatory requirements in commerce and industry.

Neither B11 Standards, Inc. nor any of the organizations or individuals that assisted in authoring, developing, editing or distributing this standard (B11 Standards, Inc. and such organizations and individuals collectively referred to as the "Contributing Parties") makes any warranty, either expressed or implied, as to the fitness of merchantability or accuracy of the information contained within this standard. The Contributing Parties disclaim and make no warranty that the information in this document will fulfill any of your particular purposes or needs. The Contributing Parties disclaim liability for any personal injury, property or other damages of any nature whatsoever, whether special, indirect, consequential or compensatory, directly or indirectly resulting from the publication, use of, application or reliance on this document. The Contributing Parties do not undertake to guarantee the performance of any individual manufacturer or seller's products or services by virtue of this standard or guide, nor does it take any position with respect to the validity of any patent rights asserted in connection with the items which are mentioned in or are the subject of this document. The Contributing Parties disclaim liability for the infringement of any patent resulting from the use of or reliance on this document. Users of this document are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

In publishing or making this document available, the Contributing Parties are not undertaking to render professional or other services for or on behalf of any person or entity, nor are the Contributing Parties undertaking to perform any duty owed by any person or entity to someone else. Anyone using this document should rely on his or her own independent judgment, or as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances. In addition to conforming to the requirements of this standard, the responsible personnel must also make an independent determination as to whether a machine, activity or condition complies with the applicable legal requirements in the relevant jurisdiction(s).

B11 Standards, Inc., has no power, nor does it undertake to police or enforce conformance to the requirements of this document. B11 Standards, Inc., does not certify, test or inspect products, designs, or installations for safety or health purposes. Any certification or other statement of conformance to any health or safety-related information in this document shall not be attributable to B11 Standards, Inc., and is solely the responsibility of the certifier or maker of the statement. The American National Standards institute does not develop standards and will in no circumstances give an interpretation of an American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute. Requests for interpretations should be addressed to the Secretariat (B11 Standards, Inc.,).

**NOTICE:** This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute require that action be taken periodically to reaffirm, revise, or withdraw this standard. You may contact the Secretariat for current status information on this, or other B11 standards.

Published by: B11 Standards, Inc.,
POB 690905, Houston,TX - USA
Copyright © 2022 by B11 Standards Inc.
All rights reserved. Printed in the United States of America

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

T	ABLE	of CONTENTS	Page	
T.	IST OF	FIGURES	5	
	EFFECTIVE DATE			
	CONTEXT (HOW TO READ/USE THIS DOCUMENT)			
	INQUIRIES			
DEVELOPMENT INTRODUCTION ORGANIZATION AND APPLICATION OF B11 DOCUMENTS			7 7	
			10	
			10	
		ARD REQUIREMENTS	13	
1 SCOPE			13	
	1.1	APPLICATIONS	13	
	1.2	EXCLUSIONS	13	
	1.3	DESCRIPTIONS	14	
	1.3.	1 Rotary draw bender	14	
	1.3.	2 Compression bender	14	
	1.3.	3 Compression bender requirements	14	
2	NO	RMATIVE REFERENCES	15	
	2.1	INFORMATIVE REFERENCES	15	
3	DE	FINITIONS	16	
4	RE	SPONSIBILITY	18	
	4.1	SUPPLIER RESPONSIBILITIES	18	
	4.2	USER RESPONSIBILITIES	18	
	4.3	INTEGRATOR / MODIFIER / REBUILDER RESPONSIBILITIES	18	
	4.4	PERSONNEL RESPONSIBILITIES	19	
5		SK ASSESSMENT PROCESS	20	
6		SIGN AND CONSTRUCTION	22	
	6.1	GENERAL	22	
	6.2	MACHINE CONTROL SYSTEM	22	
	6.3	DESCRIPTION OF MODES OF OPERATION	22	
	6.3.		22	
	6.3.		22	
	6.3.		22 22	
	6.4 <i>6.4</i> .	ELECTRICAL EQUIPMENT	22	
	6.4.		23	
	6.5	PNEUMATIC AND HYDRAULIC SYSTEMS	23	
	6.5.		23	
	6.5.	11 v 0	23	
	6.5.	1 01 11 7	23	
	6.5.		23	
	6.5.		23	
	6.5.	· 1	23	
	6.6	FLUCTUATION IN OR INTERRUPTION OF POWER SOURCES CAUSING HAZARDOUS MOTION	24	
	6.7	ISOLATION OF POWER SOURCES	24	
	6.8	STORED ENERGY	24	
	6.9	Interferences	24	
	6.10	PERFORMANCE OF THE SAFETY FUNCTION(S)	24	
	6.11	MACHINE INITIATION	24	
	6.12	STOP AND EMERGENCY STOP CONTROLS	25	
	6.12		25	
	6.12		25	
	6.13	OPERATOR CONTROL STATIONS	25	
	6.14	MANUALLY-OPERATED CONTROL DEVICES	25	
	6.14		25	
	6.1	12 Means for limiting access to control devices	26	

	6.14.3 Control designation	26
	6.14.4 Stop control devices	26
	6.14.5 Emergency stop devices	26
	6.14.6 Jog control devices	27
	6.14.7 Run control devices	27
	6.14.8 Foot control devices	27
	6.15 ELIMINATION OF, OR PROTECTION FROM, INHERENT HAZARDS	27
	6.15.1 Power transmission components	27
	6.15.2 Powered moving parts	27
	6.15.3 Broken or falling machine components or accessories	27
	J 0 1	28
	1 0 , 1 3	
	6.15.5 Point of operation	28
	6.15.6 Corkscrew hazards	28
	6.16 WORKPIECE TRANSFER DEVICES	28
	6.17 ERGONOMIC CONSIDERATIONS	28
	6.18 ENERGY SUPPLY FAILURES	29
	6.19 ERRORS OF FITTING	29
	6.20 LIFTING OF MACHINE COMPONENTS	29
7		30
	7.1 GENERAL	30
	7.2 LAYOUT	30
	7.3 INSTALLATION	31
	7.3.1 Floor loading	31
	7.3.2 Anchoring	31
	7.3.3 Electrical requirements for installation	31
	7.3.4 Hazardous energy control	31
	7.3.5 Lighting	32
	7.4 TESTING AND START-UP	32
		J_
8		33
8		
8	RISK REDUCTION MEASURES (SAFEGUARDING)	33
8	RISK REDUCTION MEASURES (SAFEGUARDING) 8.1 GENERAL	<b>33</b> 33
8	RISK REDUCTION MEASURES (SAFEGUARDING)  8.1 GENERAL  8.2 GUARDS  8.3 INTERLOCKED GUARDS	33 33 33
8	RISK REDUCTION MEASURES (SAFEGUARDING)  8.1 GENERAL  8.2 GUARDS  8.3 INTERLOCKED GUARDS  8.4 RISK REDUCTION MEASURES	33 33 33 34 34
8	8 RISK REDUCTION MEASURES (SAFEGUARDING) 8.1 GENERAL 8.2 GUARDS 8.3 INTERLOCKED GUARDS 8.4 RISK REDUCTION MEASURES 8.4.1 General	33 33 33 34 34 34
8	8 RISK REDUCTION MEASURES (SAFEGUARDING) 8.1 GENERAL 8.2 GUARDS 8.3 INTERLOCKED GUARDS 8.4 RISK REDUCTION MEASURES 8.4.1 General 8.4.2 Swing arm shutdown device	33 33 33 34 34 34 34
8	RISK REDUCTION MEASURES (SAFEGUARDING)  8.1 GENERAL  8.2 GUARDS  8.3 INTERLOCKED GUARDS  8.4 RISK REDUCTION MEASURES  8.4.1 General  8.4.2 Swing arm shutdown device  8.4.3 Presence-sensing devices	33 33 34 34 34 34 34
8	8 RISK REDUCTION MEASURES (SAFEGUARDING) 8.1 GENERAL 8.2 GUARDS 8.3 INTERLOCKED GUARDS 8.4 RISK REDUCTION MEASURES 8.4.1 General 8.4.2 Swing arm shutdown device 8.4.3 Presence-sensing devices 8.4.4 Two-hand control	33 33 34 34 34 34 34 35
8	8 RISK REDUCTION MEASURES (SAFEGUARDING) 8.1 GENERAL 8.2 GUARDS 8.3 INTERLOCKED GUARDS 8.4 RISK REDUCTION MEASURES 8.4.1 General 8.4.2 Swing arm shutdown device 8.4.3 Presence-sensing devices 8.4.4 Two-hand control 8.4.5 Location	33 33 34 34 34 34 35 35
8	8.1 GENERAL 8.2 GUARDS 8.3 INTERLOCKED GUARDS 8.4 RISK REDUCTION MEASURES 8.4.1 General 8.4.2 Swing arm shutdown device 8.4.3 Presence-sensing devices 8.4.4 Two-hand control 8.4.5 Location 8.5 AWARENESS DEVICES	33 33 34 34 34 34 35 35 35
8	8.1 GENERAL 8.2 GUARDS 8.3 INTERLOCKED GUARDS 8.4 RISK REDUCTION MEASURES 8.4.1 General 8.4.2 Swing arm shutdown device 8.4.3 Presence-sensing devices 8.4.4 Two-hand control 8.4.5 Location 8.5 AWARENESS DEVICES 8.5.1 Awareness barriers	33 33 34 34 34 34 35 35 35
8	8.1 GENERAL 8.2 GUARDS 8.3 INTERLOCKED GUARDS 8.4 RISK REDUCTION MEASURES 8.4.1 General 8.4.2 Swing arm shutdown device 8.4.3 Presence-sensing devices 8.4.4 Two-hand control 8.4.5 Location 8.5 AWARENESS DEVICES 8.5.1 Awareness barriers 8.5.2 Awareness signals	33 33 33 34 34 34 34 35 35 35 35
8	8.1 GENERAL 8.2 GUARDS 8.3 INTERLOCKED GUARDS 8.4 RISK REDUCTION MEASURES 8.4.1 General 8.4.2 Swing arm shutdown device 8.4.3 Presence-sensing devices 8.4.4 Two-hand control 8.4.5 Location 8.5 AWARENESS DEVICES 8.5.1 Awareness barriers 8.5.2 Awareness signals 8.6 SAFE WORK PROCEDURES	33 33 34 34 34 34 35 35 35 35 35
8	8.1 GENERAL 8.2 GUARDS 8.3 INTERLOCKED GUARDS 8.4 RISK REDUCTION MEASURES 8.4.1 General 8.4.2 Swing arm shutdown device 8.4.3 Presence-sensing devices 8.4.4 Two-hand control 8.4.5 Location 8.5 AWARENESS DEVICES 8.5.1 Awareness barriers 8.5.2 Awareness signals 8.6 SAFE WORK PROCEDURES 8.7 PERFORMANCE OF THE SAFETY FUNCTION(S)	33 33 34 34 34 34 35 35 35 35 35 35
8	8.1 GENERAL 8.2 GUARDS 8.3 INTERLOCKED GUARDS 8.4 RISK REDUCTION MEASURES 8.4.1 General 8.4.2 Swing arm shutdown device 8.4.3 Presence-sensing devices 8.4.4 Two-hand control 8.4.5 Location 8.5 AWARENESS DEVICES 8.5.1 Awareness barriers 8.5.2 Awareness signals 8.6 SAFE WORK PROCEDURES 8.7 PERFORMANCE OF THE SAFETY FUNCTION(S) 8.8 SPAN OF CONTROL	33 33 33 34 34 34 34 35 35 35 35 35 35 35
8	8.1 GENERAL 8.2 GUARDS 8.3 INTERLOCKED GUARDS 8.4 RISK REDUCTION MEASURES 8.4.1 General 8.4.2 Swing arm shutdown device 8.4.3 Presence-sensing devices 8.4.4 Two-hand control 8.4.5 Location 8.5 AWARENESS DEVICES 8.5.1 Awareness barriers 8.5.2 Awareness signals 8.6 SAFE WORK PROCEDURES 8.7 PERFORMANCE OF THE SAFETY FUNCTION(S) 8.8 SPAN OF CONTROL 8.8.1 Layout analysis	33 33 33 34 34 34 34 35 35 35 35 35 35 36 36
8	RISK REDUCTION MEASURES (SAFEGUARDING)  8.1 GENERAL  8.2 GUARDS  8.3 INTERLOCKED GUARDS  8.4 RISK REDUCTION MEASURES  8.4.1 General  8.4.2 Swing arm shutdown device  8.4.3 Presence-sensing devices  8.4.4 Two-hand control  8.4.5 Location  8.5 AWARENESS DEVICES  8.5.1 Awareness barriers  8.5.2 Awareness signals  8.6 SAFE WORK PROCEDURES  8.7 PERFORMANCE OF THE SAFETY FUNCTION(S)  8.8 SPAN OF CONTROL  8.8.1 Layout analysis  8.8.2 Level of safety performance	33 33 33 34 34 34 34 35 35 35 35 35 36 36 36 36 37
	RISK REDUCTION MEASURES (SAFEGUARDING)  8.1 GENERAL  8.2 GUARDS  8.3 INTERLOCKED GUARDS  8.4 RISK REDUCTION MEASURES  8.4.1 General  8.4.2 Swing arm shutdown device  8.4.3 Presence-sensing devices  8.4.4 Two-hand control  8.4.5 Location  8.5 AWARENESS DEVICES  8.5.1 Awareness barriers  8.5.2 Awareness signals  8.6 SAFE WORK PROCEDURES  8.7 PERFORMANCE OF THE SAFETY FUNCTION(S)  8.8 SPAN OF CONTROL  8.8.1 Layout analysis  8.8.2 Level of safety performance  8.8.3 Identification	33 33 33 34 34 34 34 34 35 35 35 35 35 35 37 37
8	RISK REDUCTION MEASURES (SAFEGUARDING)  8.1 GENERAL  8.2 GUARDS  8.3 INTERLOCKED GUARDS  8.4 RISK REDUCTION MEASURES  8.4.1 General  8.4.2 Swing arm shutdown device  8.4.3 Presence-sensing devices  8.4.4 Two-hand control  8.4.5 Location  8.5 AWARENESS DEVICES  8.5.1 Awareness barriers  8.5.2 Awareness signals  8.6 SAFE WORK PROCEDURES  8.7 PERFORMANCE OF THE SAFETY FUNCTION(S)  8.8 SPAN OF CONTROL  8.8.1 Layout analysis  8.8.2 Level of safety performance  8.8.3 Identification  SET-UP, OPERATION & MAINTENANCE	33 33 33 34 34 34 34 34 35 35 35 35 35 35 37 37 38
	RISK REDUCTION MEASURES (SAFEGUARDING)  8.1 GENERAL  8.2 GUARDS  8.3 INTERLOCKED GUARDS  8.4 RISK REDUCTION MEASURES  8.4.1 General  8.4.2 Swing arm shutdown device  8.4.3 Presence-sensing devices  8.4.4 Two-hand control  8.4.5 Location  8.5 AWARENESS DEVICES  8.5.1 Awareness barriers  8.5.2 Awareness signals  8.6 SAFE WORK PROCEDURES  8.7 PERFORMANCE OF THE SAFETY FUNCTION(S)  8.8 SPAN OF CONTROL  8.8.1 Layout analysis  8.8.2 Level of safety performance  8.8.3 Identification  SET-UP, OPERATION & MAINTENANCE	33 33 33 34 34 34 34 34 35 35 35 35 35 35 37 37 38
	RISK REDUCTION MEASURES (SAFEGUARDING)  8.1 GENERAL  8.2 GUARDS  8.3 INTERLOCKED GUARDS  8.4 RISK REDUCTION MEASURES  8.4.1 General  8.4.2 Swing arm shutdown device  8.4.3 Presence-sensing devices  8.4.4 Two-hand control  8.4.5 Location  8.5 AWARENESS DEVICES  8.5.1 Awareness barriers  8.5.2 Awareness signals  8.6 SAFE WORK PROCEDURES  8.7 PERFORMANCE OF THE SAFETY FUNCTION(S)  8.8 SPAN OF CONTROL  8.8.1 Layout analysis  8.8.2 Level of safety performance  8.8.3 Identification  SET-UP, OPERATION & MAINTENANCE  9.1 GENERAL  9.2 MACHINE SET-UP PROCEDURES	33 33 33 34 34 34 34 34 35 35 35 35 35 35 37 37 38 38
	RISK REDUCTION MEASURES (SAFEGUARDING)  8.1 GENERAL  8.2 GUARDS  8.3 INTERLOCKED GUARDS  8.4 RISK REDUCTION MEASURES  8.4.1 General  8.4.2 Swing arm shutdown device  8.4.3 Presence-sensing devices  8.4.4 Two-hand control  8.4.5 Location  8.5 AWARENESS DEVICES  8.5.1 Awareness barriers  8.5.2 Awareness signals  8.6 SAFE WORK PROCEDURES  8.7 PERFORMANCE OF THE SAFETY FUNCTION(S)  8.8 SPAN OF CONTROL  8.8.1 Layout analysis  8.8.2 Level of safety performance  8.8.3 Identification  SET-UP, OPERATION & MAINTENANCE  9.1 GENERAL  9.2 MACHINE SET-UP PROCEDURES  9.3 OPERATION	33 33 33 34 34 34 34 34 35 35 35 35 35 35 37 37 38 38 38
	8.1 GENERAL 8.2 GUARDS 8.3 INTERLOCKED GUARDS 8.4 RISK REDUCTION MEASURES 8.4.1 General 8.4.2 Swing arm shutdown device 8.4.3 Presence-sensing devices 8.4.4 Two-hand control 8.4.5 Location 8.5 AWARENESS DEVICES 8.5.1 Awareness barriers 8.5.2 Awareness signals 8.6 SAFE WORK PROCEDURES 8.7 PERFORMANCE OF THE SAFETY FUNCTION(S) 8.8 SPAN OF CONTROL 8.8.1 Layout analysis 8.8.2 Level of safety performance 8.8.3 Identification 9 SET-UP, OPERATION & MAINTENANCE 9.1 GENERAL 9.2 MACHINE SET-UP PROCEDURES 9.3 OPERATION 9.4 MAINTENANCE	33 33 33 34 34 34 34 34 35 35 35 35 35 35 37 37 38 38 38 38 39 40
	8.1 GENERAL 8.2 GUARDS 8.3 INTERLOCKED GUARDS 8.4 RISK REDUCTION MEASURES 8.4.1 General 8.4.2 Swing arm shutdown device 8.4.3 Presence-sensing devices 8.4.4 Two-hand control 8.4.5 Location 8.5 AWARENESS DEVICES 8.5.1 Awareness barriers 8.5.2 Awareness signals 8.6 SAFE WORK PROCEDURES 8.7 PERFORMANCE OF THE SAFETY FUNCTION(S) 8.8 SPAN OF CONTROL 8.8.1 Layout analysis 8.8.2 Level of safety performance 8.8.3 Identification 9.1 GENERAL 9.2 MACHINE SET-UP PROCEDURES 9.3 OPERATION 9.4 MAINTENANCE 9.4.1 General	33 33 33 34 34 34 34 34 35 35 35 35 35 35 37 37 38 38 38 38 39 40 40
	8.1 GENERAL 8.2 GUARDS 8.3 INTERLOCKED GUARDS 8.4 RISK REDUCTION MEASURES 8.4.1 General 8.4.2 Swing arm shutdown device 8.4.3 Presence-sensing devices 8.4.4 Two-hand control 8.4.5 Location 8.5 AWARENESS DEVICES 8.5.1 Awareness barriers 8.5.2 Awareness signals 8.6 SAFE WORK PROCEDURES 8.7 PERFORMANCE OF THE SAFETY FUNCTION(S) 8.8 SPAN OF CONTROL 8.8.1 Layout analysis 8.8.2 Level of safety performance 8.8.3 Identification 9 SET-UP, OPERATION & MAINTENANCE 9.1 GENERAL 9.2 MACHINE SET-UP PROCEDURES 9.3 OPERATION 9.4 MAINTENANCE 9.4.1 General 9.4.2 Maintenance inspections	33 33 33 34 34 34 34 34 35 35 35 35 35 35 37 37 38 38 38 39 40 40 41
	8.1 GENERAL 8.2 GUARDS 8.3 INTERLOCKED GUARDS 8.4 RISK REDUCTION MEASURES 8.4.1 General 8.4.2 Swing arm shutdown device 8.4.3 Presence-sensing devices 8.4.4 Two-hand control 8.4.5 Location 8.5 AWARENESS DEVICES 8.5.1 Awareness barriers 8.5.2 Awareness signals 8.6 SAFE WORK PROCEDURES 8.7 PERFORMANCE OF THE SAFETY FUNCTION(S) 8.8 SPAN OF CONTROL 8.8.1 Layout analysis 8.8.2 Level of safety performance 8.8.3 Identification 9.1 GENERAL 9.2 MACHINE SET-UP PROCEDURES 9.3 OPERATION 9.4 MAINTENANCE 9.4.1 General	33 33 33 34 34 34 34 34 35 35 35 35 35 35 37 37 38 38 38 38 39 40 40

9.7	INITIATION OF NORMAL OPERATIONS	42
9.8	SAFETY SIGNS	42
9.9	PERSONAL PROTECTIVE EQUIPMENT (PPE)	42
10 T	RAINING	43
10.1	GENERAL	43
10.2	TRAINING ELEMENTS	43
10	0.2.1 Training programs	44
10.3	OPERATOR TRAINING	45
10.4	MAINTENANCE PERSONNEL TRAINING	45
10.5	S SUPERVISOR TRAINING	45
10.6	5 RETRAINING	45
11 D	ECOMMISSIONING PROCESS	46
11.1	SUPPLIER RESPONSIBILITIES	46
11.2	USER RESPONSIBILITIES	46
11.3	MODIFIER RESPONSIBILITIES	46
11.4	DECOMMISSIONING TASK	47
11.5	CONTROL OF HAZARDOUS ENERGY	47
11.6	5 LAYOUT	47
	X A – FIGURES	48
ANNE	X B – EXAMPLES OF HAZARDS AND HAZARDOUS SITUATIONS	61
	X C – PERFORMANCE OF THE SAFETY-RELATED FUNCTION(S)	62
ANNEX	X D – GENERAL GUIDELINES FOR OPERATOR TRAINING	63
LIST (	of FIGURES	
FIGUR	RE 1 – ORGANIZATION OF THE B11 SERIES OF DOCUMENTS	10
FIGUR	RE 2 – THE RISK ASSESSMENT PROCESS	21
FIGUR	RE A.1 – EXAMPLES OF BENDING APPLICATIONS	48
FIGUR	RE A.2 – EXAMPLE OF A REBAR RADIUS BENDER	49
FIGUR	RE A.3 – EXAMPLE OF A REBAR TABLE BENDER	49
FIGUR	RE A.4 – EXAMPLE OF A REBAR STIRRUP BENDER	50
<b>FIGUR</b>	RE A.5 – EXAMPLE OF A REBAR SPIRAL BENDER	50
<b>FIGUR</b>	RE A.6 – EXAMPLE OF A RELAY CONTROLLED DRAW BENDER	51
<b>FIGUR</b>	RE A.7 – EXAMPLE OF A DIGITALLY CONTROLLED DRAW BENDER	51
<b>FIGUR</b>	RE A.8 – EXAMPLE OF DIGITALLY CONTROLLED VERTICAL BENDER	52
	RE A.9 – EXAMPLE OF A DOUBLE HEADED BENDER	
	RE A.10 – EXAMPLE OF A REBAR DOUBLE HEADED BENDER	54
	RE A.11 – EXAMPLES OF MANDRELS	
<b>FIGUR</b>	TE A.11 - EAAMI LES OF MANDRELS	
~	RE A.12 – TOOLING USED FOR DRAW BENDING	55 56
FIGUR		55 56
FIGUR	RE A.12 – TOOLING USED FOR DRAW BENDINGRE A.13 – EXAMPLE OF LINEAR STRETCH BENDINGRE A.14 – EXAMPLE OF A WIPER DIE	55 56 56
FIGUR FIGUR	RE A.12 – TOOLING USED FOR DRAW BENDINGRE A.13 – EXAMPLE OF LINEAR STRETCH BENDINGRE A.14 – EXAMPLE OF A WIPER DIERE A.15 – BENDER WITH REMOTE STAND	55 56 56 57
FIGUR FIGUR FIGUR	RE A.12 – TOOLING USED FOR DRAW BENDING	
FIGUR FIGUR FIGUR FIGUR	RE A.12 – TOOLING USED FOR DRAW BENDING	
FIGUR FIGUR FIGUR FIGUR FIGUR	RE A.12 – TOOLING USED FOR DRAW BENDING	

### **FOREWORD**

(This foreword is not part of the requirements of American National Standard B11.15-2022)

The primary objective of this standard is to eliminate or control the risk of injuries to personnel associated with bar, pipe, tube and shape bending machines by establishing requirements for the machine's construction, operation and maintenance and for the production systems in which bar, pipe, tube and shape bending machines are used. To accomplish this objective, responsibilities have been assigned to the supplier (manufacturer, rebuilder, reconstructor) and user as well as to personnel in the working environment.

Point-of-operation safeguarding is the single most important factor in the elimination of point-of-operation injuries. A production system consists of three components: the bar, pipe, tube or shape bender itself as one component; the feeding methods (including part or scrap removal) as a second component; and the third component, which is point-of-operation safeguarding. The vital third component can be evaluated for effectiveness only after the first two components and operator involvement is known.

The use of risk reduction measures for production systems in bar, pipe, tube and shape bending operations is complicated by the wide variety of operations and operating conditions, the variations in size, speed, and type of bar, pipe, tube and shape bending machine used; the size, thickness, and kind of pieces to be worked; the required accuracy of the finished work; the skill of operators; the length of run; and the method of tube or shape feeding and part and scrap removal. Because of these varying factors in the operations and in the workplace, a wide variety of point-of-operation safeguarding methods (guards and devices) are covered in this standard.

The words "safe" and "safety" are not absolutes. Safety begins with good design. While the goal of this standard is to eliminate injuries, it is recognized that risk factors cannot possibly be reduced to zero in any human activity. This standard is not intended to replace good judgment and personal responsibility. Operator skill, attitude, training, job monotony, ergonomic factors, fatigue and experience are safety factors that must be considered by the user.

Bar, pipe, tube and shape bending machines and associated equipment technologies are continuously evolving. This standard reflects the most commonly used and time-tested state-of-the-art at the time of its approval. The inclusion or omission of language relative to any evolving technology, either in the requirements or explanatory sections of this standard, in no way infers acceptance or rejection of such technologies.

### **Effective Date**

The following information on effective dates is informative guidance only, and not a normative part of this standard. This Subcommittee recognizes that some period of time after the approval date on the title page of this document is necessary for suppliers and users to develop new designs or modify existing designs or manufacturing processes in order to incorporate the new or revised requirements of this standard into their product development or production system.

This Subcommittee recommends that suppliers complete and implement design changes for new machines and machinery systems within 30 months of the approval date of this standard.

The Subcommittee recommends that users evaluate whether existing machinery and machinery systems have acceptable risk within 30 months of the approval date of this standard using generally recognized risk assessment methods. If the risk assessment shows that modification(s) is necessary, refer to the requirements of this standard to implement risk reduction measures (protective measures) for appropriate risk reduction.

### Context (how to read/use this document)

The writers of this document understand that the reader/user of this American National Standard is unlikely to read it cover-to-cover but instead (for example), the reader/user might use the Table of Contents as a sort of 'roadmap' to find a very specific topic and then review only that topic. However, the reader/user of this standard is informed that the elements (clauses, subclauses, etc.) of these documents are sequenced and often interrelated in such a way as to state requirements that may very well be dependent on text in a section(s) that precedes the actual requirement. It therefore becomes vital and important for the reader/user of this standard to ensure they understand the depth, range and especially the context of the section or topic in which the actual requirement appears.

### Inquiries

Inquiries with respect to the application or the substantive requirements of this standard, and suggestions for its improvement are welcomed, and should be sent to the B11 Standards, Inc. POB 690905, Houston, TX 77069 - Attention: B11 Secretariat.

### Development

This standard was processed and submitted for ANSI approval by the B11 Standards Development Committee (B11 SDC) on safety standards for machines. Committee approval of this standard does not necessarily imply that all committee members voted for its approval. At the time this standard was approved as an American National Standard, the ANSI B11 SDC was composed of the following member organizations:

Alan Metelsky, FS, Eng., Chair / Anne Mathias, PE, Vice-Chair / David Felinski, Secretary

### **Organizations Represented**

### Aluminum Extruders Council

American Society of Safety Professionals

Association for Advancing Automation (A3 Robotics)

Association For Manufacturing Technology

The Boeing Company

Bridgestone

Canadian Standards Association

Deere & Co. Euchner Exponent FDR Safety

**General Motors Corporation** Grantek System Integration Komatsu America Industries

Liberty Mutual MAG Automotive

Metal Powder Industries Federation

National Institute for Occupational Safety & Health Occupational Safety & Health Administration

Omron Automation

Assn. Packaging & Processing Technologies

Pilz Automation Safety, LP Plastics Industry Association Precision Metalforming Association

Presence-sensing Device Manufacturers Association

**Rockwell Automation** 

Safe-T-Sense SICK, Inc.

Sheet Metal & Air Conditioning Contractors Nat'l. Assn.

Toyota Motor Manufacturing North America

### Name of Representative

Delegate Mel Mitchell, CSP Ted Sberna, Sr. Carole Franklin

Russ Bensman Rhiannon McPherson Kenji Furukawa, FS Eng

Andrea Holbeche, P.Eng. Tony Beeth Ron Yemmans

Stephen Andrew, PE Mike Taubitz Mike Douglas Gerald Kupel

George Schreck Craig Karasack, CSP Erik Carrier

Bill Edwards Rick Current, PE Kenneth Stevanus Tina Hull, FS Exp

Bruce Main, PE, CSP Mike Beerman Jeff Linder

James Barrett, Jr. PhD James Kirton

Michael Poynter, FS Eng

Chris Gerges Chris Soranno, FS Exp Justin Crandol, CSP Chip Boertlein

**Alternate** 

Bradley Wyatt, CSP Anne Mathias, PE Jeff Fryman

Alan Metelsky, FS Eng Mark Ellingson Joey Hinson, FS Eng Walter Veugen Scott Winter

Torsten Skuiins Joe Wolfsberger Stacey Brooks, CSP Patric Brown James Landowski Julie Thompson, CSP Doug Watts

Mary Bauer, CIH, CSP Frank Webster

Tom Egan

James Adams

Doug Sten, PhD, CSP Dale Bartholomew David Klotz

Michael Carlson Darin Magnuson, FS Eng

Federico Badillo Nate Gose, FS Eng

Rick Di Ioli Michael Collier The B11.15 Subcommittee which revised the 2001 standard, had the following members:

Organization Represented

Creation Windows
Pines Manufacturing
Drion Safety Service, Inc.
Allegheny Teledyne Industries
AMT

Name of Representative

Robert Grice, Chairman Thomas Glissman, Secretary Robert Eggleston Joseph Kelly David Felinski, Secretary

Since the last revision of B11.15, the format/style and even some content elements within the ANSI B11 series have evolved. This current revision has maintained many of those same safety requirements and in several instances, updated requirements, up-to-date standards, current safety practices and technology, while updating the format of the standard to the present-day B11 standards structure. Additionally, the ANSI B11 series of standards now incorporates the integration of a stratified approach using "types" of standards (i.e., type-A, type-B and type-C standards – see a more detailed explanation of this approach in the Introduction). ANSI B11.15 is considered a type-C standard and is intended to be used (at a minimum) in conjunction with the type-A ANSI B11.0 and type-B ANSI B11.19 (see the B11 documents list on page xi).

The Subcommittee which developed this current revision of ANSI B11.15 had the following members:

Chris Felinski, Chairman, B11 Standards
David Felinski, Secretary, B11 Standards
Mike Douglas, General Motors
Jim Kirton, Kirton Industrial Equipment
Heinz Knackstedt, Machine Control Safety Training

Bruce Main, PE, CSP, design safety engineering Ted Sberna, Sr., White Horse Safety Chris Soranno, FS Eng, SICK Mike Taubitz, FDR Safety



## and ANSI B11 conventions

**Explanation of the format,** This standard uses a two-column format to provide supporting information for requirements. The text in the left column is confined to "Standards Requirements" and is so captioned. The right-column, captioned "Explanatory Information" contains information that the writing Subcommittee believed would help to clarify the requirements contained in the standard. This column should not be construed as being a part of the requirements of this American National Standard. Operating rules (safe practices) are not included in either column of this standard unless they are of such nature as to be vital safety requirements, equal in weight to other requirements, or guides to assist in compliance with the standard.

> As in all American National Standards, the term "SHALL" denotes a requirement that is to be strictly followed in order to conform to this standard; no deviation is permitted. The term "SHOULD" denotes a recommendation, a practice or condition among several alternatives, or a preferred method or course of action.

> Generally speaking, the term "CAN" denotes a possibility, ability or capability, whether physical or causal, and the term "MAY" denotes a permissible course of action within the limits of the standard, however, the terms can often be used interchangeably.

### **B11 conventions:**

Normative inter-document or intra-document references are denoted by "See #.##." Informative inter-document or intra-document references are denoted by "See also, #.##."

The use of "hard" conversions between metric and English units does not imply a tolerance requirement.

Operating rules (safe practices) are not included in either column of this standard unless they are of such nature as to be vital safety requirements, equal in weight to other requirements, or guides to assist in conformance with the standard.

The ANSI B11 standards generally use the term "OR" as an inclusive disjunction, meaning one or the other or both, but on occasion will use the term "and/or" to emphasize the fact that both are fully intended in cases where the Subcommittee believed it was imperative to make that clear.

A distinction between the terms "individual" and "personnel" is drawn. Individual includes personnel (employees, subcontractors, consultants, or other contract workers under the indirect control of the supplier or user) but also encompasses persons who are not under the direct or indirect control of the supplier or user.



### Introduction

The main purpose of every machine tool is to process materials. Inadvertent interference with, or accidental misdirection of the released energy during production, maintenance, commissioning and de-commissioning can result in injury.

The purpose of the ANSI B11 series of machinery safety standards is to devise and propose ways to eliminate or minimize risks of the potential hazards associated with the required tasks. This can be accomplished either by an appropriate machine design or by restricting personnel or other individuals' access to hazard zones, and by devising work procedures to minimize personnel exposure to hazardous situations. This is the essence of the ANSI B11 series of safety standards. This standard recognizes that zero risk does not exist and cannot be attained. However, a good faith approach to risk assessment and risk reduction should achieve an acceptable risk level.

### **Organization and Application of B11 Documents**

The B11 standards and technical reports can be associated with the ISO "type A-B-C" structure as described immediately below, and as shown in Figure 1.

- **Type-A standards** (basis standards) give basic concepts, principles for design, and general aspects that can be applied to machinery;
- **Type-B standards** (generic safety standards) deal with one or more safety aspects or one or more types of engineering controls that can be used across a wide range of machinery:
- **Type-C standards** (machinery safety standards) deal with detailed safety requirements for a particular machine or group of machines.

The B11.0 standard on general safety requirements common to ANSI B11 machines is primarily a "type -A" standard in that it applies to a broad array of machines and contains very general requirements. However, in many areas it also contains very specific requirements. B11.19, B11.20, B11.21, B11.25, B11.26, as well as the entire B11 series of Technical Reports are all typical "Type-B" documents addressing general safety elements that can be used across a wide range of machinery (such as B11.19 and B11.26) or as a standard when combining machines (B11.20). The B11 series of Technical Reports are informative documents that may be generally applied to many different machines, and as such would fall into the "type-B" category. The machine-specific ("type-C") B11 standards contain detailed safety requirements for a particular machine or group of machines (such as this standard). The type-A B11.0 and the type-C (machine-specific) B11 standards are intended to be used concurrently by the supplier and user of machines. When a type-C standard deviates from one or more provisions dealt with by this standard or by a type-B standard, the type-C standard requirement generally takes precedence. Any deviation in conforming to a requirement of any standard should be carefully evaluated and based on a documented risk assessment.




Figure 1 – Organization of the B11 series of documents

An overview of each clause of this standard is provided below.

- 1) Scope Provides the boundaries or limits of the standard (i.e., what is/is not included).
- 2) Normative references Other standards which in whole or in part provide additional requirements when referenced in the normative text (i.e., left-hand column of clauses 4 11) of this standard.
- 3) Definitions Terms used in this standard, together with their definitions (terms used in the same context as are generally understood and commonly used in everyday English are not defined).
- 4) Responsibilities The general responsibilities of the supplier (builder), user, modifier and the user personnel are listed in clause 4 together with the remaining clauses for which they have primary responsibility.
- 5) Risk assessment process Clause 5 presents the general approach to risk assessment (see B11.0 for further explanation of hazard/task identification and risk assessment/risk reduction).
- 6) Design and construction It is assumed that the supplier of new equipment to the user will be responsible for the requirements of clause 6, understanding that the user may add to or modify these requirements through the purchase agreement. For existing machinery, the user is generally responsible for the requirements of clause 6.
- 7) Layout, installation, testing and start-up Although the requirements of clause 7 are predominantly the responsibility of the user, the supplier will normally provide assistance either directly (providing personnel) or indirectly (instruction materials).
- 8) Risk reduction measures This is normally a shared responsibility but often, either the supplier or the user will provide and/or meet the requirements of clause 8.
- 9) Set-up, operation and maintenance The user is normally responsible for the requirements of clause 9 with possible assistance from the supplier for training.
- 10) Training The user is normally responsible for the requirements of clause 10 with possible assistance from the supplier for materials or the training itself.
- 11) Decommissioning This is primarily a user responsibility, however, the supplier shares responsibility for taking this aspect into consideration during the design.



As of the date of approval of this standard, the ANSI B11 series of American National Standards and Technical Reports on machinery safety consisted of the following documents shown in the list below. The user should check a licensed reseller such as ANSI (www.ansi.org) for the current versions of any of these documents. All archival / historical versions of the documents are available at <a href="https://www.b11standards.org">www.b11standards.org</a>.

#	SHORT TITLE / TOPIC	YEAR	TYPE
B11.0	Safety of Machinery	2020	Α
B11.1	Mechanical Power Presses	2009 (R20)	С
B11.2	Hydraulic & Pneumatic Power Presses	2013	Č
B11.3	Power Press Brakes	2012 (R20)	Č
B11.4	Shears	2003 (R20)	Č
B11.5	Ironworkers	1988 (R20)	Č
B11.6	Manual Turning Machines w/ or without Auto Control	2001 (R20)	Č
B11.7	Cold Headers and Cold Formers	2020	Ċ
B11.8	Manual Milling, Drilling, & Boring Machines	2021	C C
B11.9	Grinding Machines	2010 (R20)	Ċ
B11.10	Sawing Machines	2003 (R20)	Ċ
B11.11	Gear and Spline Cutting Machines	2001 (R12)	Č
B11.12	Roll Forming and Roll Bending Machines	2005 (R20)	C
B11.13	Single & Multiple-Spindle Automatic Bar and Chucking Machines	2020	C
B11.14	Withdrawn (Coil Slitting Machines; combined into B11.18)	(1996)	C C
B11.15	Bar, pipe, tube and Shape Bending Machines	2022 <sup>′</sup>	С
B11.16	Powder / Metal Compacting Presses	2014 (R20)	С
B11.17	Horizontal Hydraulic Extrusion Presses	2004 (R15)	С
B11.18	Machines Processing or Slitting Coiled or Non-Coiled Metal	2006 (R20)	С
B11.19	Performance Requirements for Risk Reduction Measures (Safeguarding)	2019 ` ′	В
B11.20	Integration of Machinery into a System	2017	В
B11.21	Machine Tools Using Lasers for Processing Materials	2006 (R20)	В
B11.22	Turning Centers and Automatic Numerically Controlled Turning Machines	2002 (R20)	С
B11.23	Machining Centers & CNC Milling, Drilling & Boring Machines	2002 (R20)	С
B11.24	Transfer Machines	2002 (R20)	С
B11.25	Large Machines	2015 (R20)	В
B11.26	Functional Safety for Equipment / Machine Control Systems	2018	В
B11.27	Electro-Discharge Machines	2020	С
B11.TR1	Ergonomics	2016	В
B11.TR2	Metal Working Fluids	1997 (R16)	В
B11.TR3	Withdrawn (Risk Assessment / Risk Reduction Guide)	(2000 R15)	В
B11.TR4	Selection of Programmable Electronic Systems (PES/PLC)	2004 (R15)	В
B11.TR5	Noise Measurement	2006 (R17)	В
B11.TR6	Withdrawn (Safety Control Systems for Machines)	(2010)	В
B11.TR7	Integration of Lean and Safety	2007 (R17)	В
B11.TR8	Sustainable Safety Systems Through Inspection of Risk Reduction Measures	2022	В
B11.TR9	Cybersecurity	2019	В
B11.TR10	Guidance on Artificial Intelligence into Machinery Safety Applications	2020	В
ANSI/ISO 12	2100 Safety of machinery (identical adoption of ISO 12100-2010)	2012	Α



STANDARD REQUIREMENTS

### **EXPLANATORY INFORMATION**

# Safety Requirements for Bar, Pipe, Tube, and Shape Bending Machines

### STANDARD REQUIREMENTS

#### **EXPLANATORY INFORMATION**

(This column is not part of the requirements of this American National Standard – Safety Requirements for Bar, Pipe, Tube and Shape Bending Machines, ANSI B11.25-202x).

### 1 Scope

The requirements of this standard apply to any powerdriven machine designed for bending bar, pipe, tube, and shapes by means of bending dies, clamp dies, pressure dies, mandrels, wiper dies, vertical bending punches, radius dies, wing dies, and associated tooling.

**Note** – In the context of this standard, the term "machine" refers to bar, pipe, tube, and shape bending machines.

### 1.1 Applications

The requirements of this standard apply to:

- vertical hydraulic benders;
- horizontal hydraulic benders;
- horizontal mechanical benders;
- horizontal or vertical combination hydraulic and mechanical benders and combination pneumatic and mechanical benders;
- auxiliary equipment associated with bending machines;
- compression benders;
- draw benders;
- pipe benders;
- stretch benders;
- tube benders.

### 1.2 Exclusions

The requirements of this standard do not apply to:

- bench presses;
- hydro forming;
- forging presses:
- four-slide machines;
- hydraulic presses;
- mechanical presses;
- power press brakes;
- roll benders;
- roll formers;
- assembly machines.

### **E1**

For examples of bending applications, see <u>Figure A.1</u>.